#### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)		
July 2014	Briefing Charts	July 2014- August 2014		
4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER			
Synthesis and characterization of 5-(hyd	In-House  5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)	5d. PROJECT NUMBER			
Yonis Ahmed, Stefan Schneider, Ste Beauchamp	5e. TASK NUMBER			
		5f. WORK UNIT NUMBER Q0RA		
7. PERFORMING ORGANIZATION NAM	8. PERFORMING ORGANIZATION REPORT NO.			
Air Force Research Laboratory (AF)	MC)			
AFRL/RQRP				
10 E. Saturn Blvd				
Edwards AFB CA 93524-7680				
9. SPONSORING / MONITORING AGEN Air Force Research Laboratory (AFI AFRL/RQR	10. SPONSOR/MONITOR'S ACRONYM(S)			
5 Pollux Drive.	11. SPONSOR/MONITOR'S REPORT			
Edwards AFB CA 93524-7048	NUMBER(S)			
		AFRL-RQ-ED-VG-2014-207		
		AFRL-RQ-ED-VG-2014-207		

#### 12. DISTRIBUTION / AVAILABILITY STATEMENT

Distribution A: Approved for Public Release; Distribution Unlimited

#### 13. SUPPLEMENTARY NOTES

Briefing Charts presented at ACS Fall National Meeting, San Francisco, CA, 10-14 Aug 2014. PA#14362

#### 14. ABSTRACT

High nitrogen compounds are the focus of advanced energetic material research aimed at future needs in the area of advanced explosives and propellants. One method of building nitrogen rich molecules consists of using a core heterocycle, e.g. a tetrazole, and nitrogen containing pendant groups like amines and azides. Hydrazine and its derivatives are widely used as propellants and a combination of two energetic compounds, i.e. hydrazines and tetrazoles, might provide materials with advantageous properties for energetic applications. Instead of coupling the hydrazine moiety directly to the tetrazole ring, we decided to incorporate an alkyl spacer which can help to increase thermal stability and lower the sensitivity towards impact and friction.

#### 15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Stefan Schneider	
a. REPORT	b. ABSTRACT	c. THIS PAGE	SAR	25	19b. TELEPHONE NO (include area code)
Unclassified	Unclassified	Unclassified	57110		661-275-5759



### Synthesis and Characterization Of 5-(hydrazino-alkyl) tetrazoles

**ACS San Francisco 2014** 

Yonis Ahmed, Ph.D.
Ionic Liquids (ILs) group
ERC/ AFRL/RQRP
Edwards AFB, CA



#### **Objectives**



- Development and fielding of new energetic materials for advanced chemical propulsion in space and missile applications
- Design energy dense, ionic liquids with very fast (hypergolic) ignition response

Anion control hypergolic activity,

Cation influences ignition delay times (IDs)

Combining energetic functional groups such hydrazines and heterocyclic rings such as tetrazoles, triazoles etc.



# Combination of energetic functional groups and heterocycles



### **Triazolium cation**

### **Tetrazolium cation**

#### **Tetrazolate anion**

$$N \longrightarrow N$$
 $N \longrightarrow N$ 
 $N \longrightarrow$ 




## Reported 5-hydrazino -1H - tetrazoles



T. M. Klapötke, etal *J. Org. Chem.*, **2009**, 2460

Si-P Pang, etal, *J. Mater. Chem. A.*, **2013**, 6776





## Targeted molecules












Russ. J. Org. Chem., 2006, 1049

#### Single X-ray crystal structures of 5-(halo-alkyl)-Tetrazoles 1-3







1

2

3



### Synthesis of 5-(hydrazino-alkyl)-tetrazoles




Compound	Solubility			Physical state	
	H <sub>2</sub> O	CH₃OH	C <sub>2</sub> H <sub>5</sub> OH	(CH <sub>3</sub> ) <sub>2</sub> CHOH	
n = 1	soluble	Sparingly soluble	insoluble	Insoluble	Viscous oil
n = 2	soluble	soluble	insoluble	Insoluble	Viscous oil
n = 3	soluble	soluble	sparingly soluble	soluble	Viscous oil






## Synthesis of 5-(hydrazino-propyl) tetrazole








## <sup>1</sup>H NMR spectra of 1, 5-trimethylene tetrazole (6) and 5-(hydrazino-propyl) tetrazole
















# DSC, Single crystal X-Ray structure and <sup>1</sup>H NMR spectrum of 5-(hydrazino-propyl) tetrazole









Distribution A: Approved for public release; distribution unlimited



#### Synthesis of 5-(hydrazino-alkyl) tetrazole



Normalization 
$$N_2H_4$$

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_2$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_2H_4$ 

Normalization  $N_1$ 

Normalizati

#### Difficult to separate due to poor solubility of the zwitter ions

Unprecedented in the literature



## Reactions of crude 5-(hydrazino-alkyl)tetrazoles with 2nitrobenzaldehyde



Br 
$$N_2H_4$$
 MeOH

1,  $n = 1$ 
2,  $n = 2$ 


OHC(C6H4)NO<sub>2</sub>


7,  $n = 1$ 
8,  $n = 2$ 











Distribution A: Approved for public release; distribution unlimited



# Synthesis of 5 - (hydrazino - alkyl) tetrazole via BOC hydrazine



- Address solubility issues
- Solid state structures of hydrochloride salt
- Hydrochloride salt as substrate for metathesis reaction with energetic anions e.g [NO<sub>3</sub>], [N<sub>3</sub>], etc.



# Synthesis of 5 - (hydrazino - alkyl) tetrazole via BOC hydrazine



$$\bigvee_{N}^{N}\bigvee_{H}^{N}\bigvee_{n}^{\operatorname{Cl}}$$


$$\begin{array}{c|c}
N & N \\
N &$$




#### Removal of BOC protecting group



#### <sup>1</sup>H NMR and DSC of 5-(hydrazino-methyl)tetrazole mono-hydrochloride 11





Distribution A: Approved for public release; distribution unlimited



### Neutralization of 5-(hydrazino-alkly)tetrazole monhydrochlorides salts 11 and 12



Naome Naome


$$\begin{array}{c|c}
N & N \\
N & \oplus \\
NH_2NH_2 & CI
\end{array}$$


Inseparable mixture



# DSC and <sup>1</sup>H NMR spectrum of 5-(hydrazino-methyl)tetrazole








Distribution A: Approved for public release; distribution unlimited




# Metathesis reaction of 5-(hydrazino-methyl)tetrazole mono-hydrochloride with silver nitrate



#### 1H NMR and DSC of 15






Distribution A: Approved for public release; distribution unlimited




#### Synthesis of 5- (azido-methyl) tetrazole



#### 1H NMR and DSC of 5-(azido-methyl) tetrazole







Distribution A: Approved for public release; distribution unlimited





# DSC and <sup>1</sup>H NMR spectrum of 5-(azido-ethyl) tetrazole





Distribution A: Approved for public release; distribution unlimited



## Reaction of 5 - (chloro-methyl) tetrazole with monomethyl hydrazine (MMH)



$$\begin{array}{c} \text{CH}_{3}\text{NHNH}_{2} > 6 \text{ eq} \\ & \stackrel{\wedge}{\text{NH}} \\ & \stackrel{\wedge}{\text{NH}} \\ & \stackrel{\wedge}{\text{NH}} \\ & \stackrel{\oplus}{\text{NH}} \\ & \stackrel{\oplus$$



#### Conclusion



- ☐ Successfully synthesized several 5-(hydrazino alkyl) tetrazole
- $\Box$  Fairly stable, T<sub>d</sub> > 150, and difficult to work with due poor solubility
- ☐ Bicyclic tetrazole derivative formed via intramolecular cyclization
- ☐ Generated energetic nitrate salt and tetrazole-alkyl azides from reaction intermediates
- □ Reaction of MMH with 5-chloromethyl tetrazole also leads to dialkylated derivative depending on concentration of MMH



#### **Acknowledgement**



\$\$\$: Michael R. Berman, Ph. D., AFOSR



# AFRL Ionic Liquids Group, Edwards AFB, CA

**AFRL** 



ERC

**Stefan Schneider Ph.D.** 

Christina Franquera, B.S

Stephan Deplazes, Ph.D.

Tommy Hawkins, Ph.D.

Andrew Beauchamp Capt, M.S

Jeff Mills, Ph.D.